



**ZOTEFOAMS**

**Zotefoams plc**

675 Mitcham Road  
Croydon  
CR9 3AL  
UK

t +44 (0)20 8664 1600  
f +44 (0)20 8664 1616  
e info@zotefoams.com  
www.zotefoams.com

December 2023

**EU REACH SVHC**  
**OFFICIAL STATEMENT**

***REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC***

This is to confirm the status of the foam used in T-FIT® Clean, ZOTEK® F42 HT LS, regarding the EC Regulation EC/1907/2006 and all amendments to date, also known as REACH regulation. This statement covers the foam used in all T-FIT® Clean products which are listed in Table 1.

The REACH legislation has been implemented in a phased manner between 2008 and 2016. In simple terms REACH requires chemicals to be registered, evaluated, and authorised to ensure safety for consumers.

**Polymers, the base material for all our foam products, are excluded from REACH. Therefore, the major exposure for us and our customers are the pigments for colours, crosslinking agents, flame retardants and other functional additives.**

- CMR (Carcinogen, Mutagen or Toxic for Reproduction Cat 1 or 2)
- PBT (Persistent & Bioaccumulative & Toxic) or
- vPvT (Very Persistent and Very Bioaccumulative & Toxic)
- Substances of equivalent level of concern

**None of the substances used by Zotefoams to produce the products mentioned above are classed as 'Substances of very high concern'.**

**As “Downstream users” of any chemical compounds our responsibilities are:**

- **Providing suppliers with the information when needed on the use of our products.**
- **Getting information from our customers on the use of our products to inform our suppliers.**

**We are continuing discussion of the implications of REACH with our suppliers to ensure continued supply of all products.**

We trust that the above statement is sufficient, however if any further information or clarification is required then please do not hesitate to contact the Technical Support group at the address above.

Yours sincerely,

**Dr. Karl Hewson**  
**Director of Technology & Development**



**ZOTEFOAMS**

Table 1: List of T-FIT® Clean products

Product Code	Description: T-FIT Clean - ASME BPE	Insulation in	Sizing ID mm	Product
ZAFCK99930	ASME BPE 0.25" OD 6.35mm T-FIT Clean Insulating Straight 6.35mm THK	0.25"	6.35	Straight
ZAFCK06381	ASME BPE 0.375" OD 9.53mm T-FIT Clean Insulating Straight 6.35mm THK	0.375"	9.53	Straight
ZAFCK06382	ASME BPE 0.5" OD 12.70mm T-FIT Clean Insulating Straight 6.35mm THK	0.5"	12.7	Straight
ZAFCK06383	ASME BPE 0.75" OD 19.05mm T-FIT Clean Insulating Straight 6.35mm THK	0.75"	19.05	Straight
ZAFCK06384	ASME BPE 1.0" OD 25.40mm T-FIT Clean Insulating Straight 6.35mm THK	1.0"	25.4	Straight
ZAFCK06385	ASME BPE 1.5" OD 38.10mm T-FIT Clean Insulating Straight 6.35mm THK	1.5"	38.1	Straight
ZAFCK06386	ASME BPE 2.0" OD 50.8mm T-FIT Clean Insulating Straight 6.35mm THK	2.0"	50.8	Straight
ZAFCK06387	ASME BPE 2.5" OD 63.50mm T-FIT Clean Insulating Straight 6.35mm THK	2.5"	63.5	Straight
ZAFCK06388	ASME BPE 3.0" OD 76.20mm T-FIT Clean Insulating Straight 6.35mm THK	3.0"	76.2	Straight
ZAFCK06787	ASME BPE 3.5" OD 88.90mm T-FIT Clean Insulating Straight 6.35mm THK	3.5"	88.9	Straight
ZAFCK06522	ASME BPE 4.0" OD 101.6mm T-FIT Clean Insulating Straight 6.35mm THK	4.0"	101.6	Straight
ZAFCK99930-NT	ASME BPE 0.25" OD 6.35mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	0.25"	6.35	Straight
ZAFCK06381-NT	ASME BPE 0.375" OD 9.53mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	0.375"	9.53	Straight
ZAFCK06382-NT	ASME BPE 0.5" OD 12.70mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	0.5"	12.7	Straight
ZAFCK06383-NT	ASME BPE 0.75" OD 19.05mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	0.75"	19.05	Straight
ZAFCK06384-NT	ASME BPE 1.0" OD 25.40mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	1.0"	25.4	Straight
ZAFCK06385-NT	ASME BPE 1.5" OD 38.10mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	1.5"	38.1	Straight
ZAFCK06386-NT	ASME BPE 2.0" OD 50.8mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	2.0"	50.8	Straight
ZAFCK06387-NT	ASME BPE 2.5" OD 63.50mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	2.5"	63.5	Straight
ZAFCK06388-NT	ASME BPE 3.0" OD 76.20mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	3.0"	76.2	Straight
ZAFCK06522-NT	ASME BPE 4.0" OD 101.60mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	4.0"	101.6	Straight
ZAFCK05880	ASME BPE 0.375" OD 9.53mm T-FIT Clean Insulating Elbow 6.35mm THK	0.375"	9.53	Elbow
ZAFCK05814	ASME BPE 0.5" OD 12.70mm T-FIT Clean Insulating Elbow 6.35mm THK	0.5"	12.7	Elbow
ZAFCK05815	ASME BPE 0.75" OD 19.05mm T-FIT Clean Insulating Elbow 6.35mm THK	0.75"	19.05	Elbow
ZAFCK05816	ASME BPE 1.0" OD 25.40mm T-FIT Clean Insulating Elbow 6.35mm THK	1.0"	25.4	Elbow
ZAFCK05615	ASME BPE 1.5" OD 38.10mm T-FIT Clean Insulating Elbow 6.35mm THK	1.5"	38.1	Elbow
ZAFCK05616	ASME BPE 2.0" OD 50.80mm T-FIT Clean Insulating Elbow 6.35mm THK	2.0"	50.8	Elbow
ZAFCK05898	ASME BPE 2.5" OD 63.50mm T-FIT Clean Insulating Elbow 6.35mm THK	2.5"	63.5	Elbow
ZAFCK05899	ASME BPE 3.0" OD 76.20mm T-FIT Clean Insulating Elbow 6.35mm THK	3.0"	76.2	Elbow
ZAFCK06878	ASME BPE 3.5" OD 88.90mm T-FIT Clean Insulating Elbow 6.35mm THK	3.5"	88.9	Elbow
ZAFCK06523	ASME BPE 4.0" OD 101.6mm T-FIT Clean Insulating Elbow 6.35mm THK	4.0"	101.6	Elbow
ZAFCK05900	ASME BPE 0.375" OD 9.53mm T-FIT Clean Insulating Tee 6.35mm THK	0.375"	9.53	Tee
ZAFCK05743	ASME BPE 0.5" OD 12.70mm T-FIT Clean Insulating Tee 6.35mm THK	0.5"	12.7	Tee
ZAFCK05744	ASME BPE 0.75" OD 19.05mm T-FIT Clean Insulating Tee 6.35mm THK	0.75"	19.05	Tee
ZAFCK05745	ASME BPE 1.0" OD 25.40mm T-FIT Clean Insulating Tee 6.35mm THK	1.0"	25.4	Tee
ZAFCK05746	ASME BPE 1.5" OD 38.10mm T-FIT Clean Insulating Tee 6.35mm THK	1.5"	38.1	Tee
ZAFCK05747	ASME BPE 2.0" OD 50.80mm T-FIT Clean Insulating Tee 6.35mm THK	2.0"	50.8	Tee





# ZOTEFOAMS

Product Code	Description: T-FIT Clean - ASME BPE	Insulation in	Sizing ID mm	Product
ZAFCK05901	ASME BPE 2.5" OD 63.50mm T-FIT Clean Insulating Tee 6.35mm THK	2.5"	63.5	Tee
ZAFCK05902	ASME BPE 3.0" OD 76.20mm T-FIT Clean Insulating Tee 6.35mm THK	3.0"	76.2	Tee
ZAFCK06381-EU	ISO 1127 DN6 OD 10.2mm T-FIT Clean Insulating Straight 6.35mm THK	DN6	10.2	Straight
ZAFCK06382-EU	ISO 1127 DN8 OD 13.5mm T-FIT Clean Insulating Straight 6.35mm THK	DN8	13.5	Straight
ZAFCK06500	ISO 1127 DN10 OD 17.2mm T-FIT Clean Insulating Straight 6.35mm THK	DN10	17.2	Straight
ZAFCK06501	ISO 1127 DN15 OD 21.3mm T-FIT Clean Insulating Straight 6.35mm THK	DN15	21.3	Straight
ZAFCK06502	ISO 1127 DN20 OD 26.9mm T-FIT Clean Insulating Straight 6.35mm THK	DN20	26.9	Straight
ZAFCK06457	ISO 1127 DN25 OD 33.7mm T-FIT Clean Insulating Straight 6.35mm THK	DN25	33.7	Straight
ZAFCK06503	ISO 1127 DN32 OD 42.4mm T-FIT Clean Insulating Straight 6.35mm THK	DN32	42.4	Straight
ZAFCK06564	ISO 1127 DN40 OD 48.3mm T-FIT Clean Insulating Straight 6.35mm THK	DN40	48.3	Straight
ZAFCK06835	ISO 1127 DN50 OD 60.3mm T-FIT Clean Insulating Straight 6.35mm THK	DN50	60.3	Straight
ZAFCK06388-EU	ISO 1127 DN65 OD 76.1mm T-FIT Clean Insulating Straight 6.35mm THK	DN65	76.1	Straight
ZAFCK06525	ISO 1127 DN80 OD 88.9mm T-FIT Clean Insulating Straight 6.35mm THK	DN80	88.9	Straight
ZAFCK06381-EU-NT	ISO 1127 DN6 OD 10.2mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN6	10.2	Straight
ZAFCK06382-EU-NT	ISO 1127 DN8 OD 13.5mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN8	13.5	Straight
ZAFCK06500-NT	ISO 1127 DN10 OD 17.2mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN10	17.2	Straight
ZAFCK06501-NT	ISO 1127 DN15 OD 21.3mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN15	21.3	Straight
ZAFCK06502-NT	ISO 1127 DN20 OD 26.9mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN20	26.9	Straight
ZAFCK06457-NT	ISO 1127 DN25 OD 33.7mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN25	33.7	Straight
ZAFCK06503-NT	ISO 1127 DN32 OD 42.4mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN32	42.4	Straight
ZAFCK06564-NT	ISO 1127 DN40 OD 48.3mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN40	48.3	Straight
ZAFCK06835-NT	ISO 1127 DN50 OD 60.3mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN50	60.3	Straight
ZAFCK06388-EU-NT	ISO 1127 DN65 OD 76.1mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN65	76.1	Straight
ZAFCK06525-NT	ISO 1127 DN80 OD 88.9mm T-FIT Clean Insulating Straight 6.35mm THK(No Tape)	DN80	88.9	Straight
ZAFCK05880-EU	ISO 1127 DN6 OD 10.2mm T-FIT Clean Insulating Elbow 6.35mm THK	DN6	10.2	Elbow
ZAFCK05814-EU	ISO 1127 DN8 OD 13.5mm T-FIT Clean Insulating Elbow 6.35mm THK	DN8	13.5	Elbow
ZAFCK06512	ISO 1127 DN10 OD 17.2mm T-FIT Clean Insulating Elbow 6.35mm THK	DN10	17.2	Elbow
ZAFCK06513	ISO 1127 DN15 OD 21.3mm T-FIT Clean Insulating Elbow 6.35mm THK	DN15	21.3	Elbow
ZAFCK06582	ISO 1127 DN20 OD 26.9mm T-FIT Clean Insulating Elbow 6.35mm THK	DN20	26.9	Elbow
ZAFCK06515	ISO 1127 DN25 OD 33.7mm T-FIT Clean Insulating Elbow 6.35mm THK	DN25	33.7	Elbow
ZAFCK06516	ISO 1127 DN32 OD 42.4mm T-FIT Clean Insulating Elbow 6.35mm THK	DN32	42.4	Elbow
ZAFCK06517	ISO 1127 DN40 OD 48.3mm T-FIT Clean Insulating Elbow 6.35mm THK	DN40	48.3	Elbow
ZAFCK06518	ISO 1127 DN50 OD 60.3mm T-FIT Clean Insulating Elbow 6.35mm THK	DN50	60.3	Elbow
ZAFCK05899-EU	ISO 1127 DN65 OD 76.1mm T-FIT Clean Insulating Elbow 6.35mm THK	DN65	76.1	Elbow
ZAFCK06816	ISO1127 3.0"NB OD 88.90mm T-FIT Clean Insulating Elbow 6.35mm THK	DN80	88.9	Elbow
ZAFCK05900-EU	ISO 1127 DN6 OD 10.2mm T-FIT Clean Insulating Tee 6.35mm THK	DN6	10.2	Tee
ZAFCK05743-EU	ISO 1127 DN8 OD 13.5mm T-FIT Clean Insulating Tee 6.35mm THK	DN8	13.5	Tee
ZAFCK06506	ISO 1127 DN10 OD 17.2mm T-FIT Clean Insulating Tee 6.35mm THK	DN10	17.2	Tee



Quality  
FM 01870  
ISO 9001:2015



Safety  
OHS 52538  
HSAS 18001:2007



Environment  
EMS 36270  
ISO 14001:2015



# ZOTEFOAMS

Product Code	Description: T-FIT Clean - ASME BPE	Insulation in	Sizing ID mm	Product
ZAFCK06507	ISO 1127 DN15 OD 21.3mm T-FIT Clean Insulating Tee 6.35mm THK	DN15	21.3	Tee
ZAFCK06583	ISO 1127 DN20 OD 26.9mm T-FIT Clean Insulating Tee 6.35mm THK	DN20	26.9	Tee
ZAFCK06508	ISO 1127 DN25 OD 33.7mm T-FIT Clean Insulating Tee 6.35mm THK	DN25	33.7	Tee
ZAFCK06509	ISO 1127 DN32 OD 42.4mm T-FIT Clean Insulating Tee 6.35mm THK	DN32	42.4	Tee
ZAFCK06510	ISO 1127 DN40 OD 48.3mm T-FIT Clean Insulating Tee 6.35mm THK	DN40	48.3	Tee
ZAFCK06511	ISO 1127 DN50 OD 60.3mm T-FIT Clean Insulating Tee 6.35mm THK	DN50	60.3	Tee
ZAFCK05902-EU	ISO 1127 DN65 OD 76.1mm T-FIT Clean Insulating Tee 6.35mm THK	DN65	76.1	Tee
AFCK06381-D	DIN 11850 DN8 OD 10.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN8	10	Straight
ZAFCK06382-D	DIN 11850 DN10 OD 13.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN10	13	Straight
ZAFCK06383-D	DIN 11850 DN15 OD 19.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN15	19	Straight
ZAFCK06888	DIN 11850 DN20 OD 23.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN20	23	Straight
ZAFCK06889	DIN 11850 DN25 OD 29.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN25	29	Straight
ZAFCK06890	DIN 11850 DN32 OD 35.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN32	35	Straight
ZAFCK06503-D	DIN 11850 DN40 OD 41.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN40	41	Straight
ZAFCK06891	DIN 11850 DN50 OD 53.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN50	53	Straight
ZAFCK06297	DIN 11850 DN65 OD 70.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN65	70	Straight
ZAFCK06892	DIN 11850 DN80 OD 85.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN80	85	Straight
ZAFCK06893	DIN 11850 DN100 OD 104.00mm T-FIT Clean Insulating Straight 6.35mm THK	DN100	104	Straight
ZAFCK06381-D-NT	DIN 11850 DN8 OD 10.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN8	10	Straight
ZAFCK06382-D-NT	DIN 11850 DN10 OD 13.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN10	13	Straight
ZAFCK06383-D-NT	DIN 11850 DN15 OD 19.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN15	19	Straight
ZAFCK06888-NT	DIN 11850 DN20 OD 23.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN20	23	Straight
ZAFCK06889-NT	DIN 11850 DN25 OD 29.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN25	29	Straight
ZAFCK06890-NT	DIN 11850 DN32 OD 35.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN32	35	Straight
ZAFCK06503-D-NT	DIN 11850 DN40 OD 41.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN40	41	Straight
ZAFCK06891-NT	DIN 11850 DN50 OD 53.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN50	53	Straight
ZAFCK06297-NT	DIN 11850 DN65 OD 70.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN65	70	Straight
ZAFCK06892-NT	DIN 11850 DN80 OD 85.00mm T-FIT Clean Insulating Straight 6.35mm THK (No Tape)	DN80	85	Straight
ZAFCK05880-D	DIN 11850 DN8 OD 10.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN8	10	Elbow
ZAFCK05814-D	DIN 11850 DN10 OD 13.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN10	13	Elbow
ZAFCK05815-D	DIN 11850 DN15 OD 19.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN15	19	Elbow
ZAFCK06874	DIN 11850 DN20 OD 23.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN20	23	Elbow
ZAFCK06875	DIN 11850 DN25 OD 29.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN25	29	Elbow
ZAFCK06876	DIN 11850 DN32 OD 35.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN32	35	Elbow
ZAFCK06516-D	DIN 11850 DN40 OD 41.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN40	41	Elbow
ZAFCK06877	DIN 11850 DN50 OD 53.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN50	53	Elbow
ZAFCK05238	DIN 11850 DN65 OD 70.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN65	70	Elbow
ZAFCK06878-D	DIN 11850 DN80 OD 85.00mm T-FIT Clean Insulating Elbow 6.35mm THK	DN80	85	Elbow





# ZOTEFOAMS

Product Code	Description: T-FIT Clean - ASME BPE	Insulation in	Sizing ID mm	Product
ZAFCK05743-D	DIN 11850 DN10 OD 13.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN10	13	Tee
ZAFCK05744-D	DIN 11850 DN15 OD 19.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN15	19	Tee
ZAFCK06509-D	DIN 11850 DN40 OD 41.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN40	41	Tee
ZAFCK05900-D	DIN 11850 DN8 OD 10.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN8	10	Tee
ZAFCK06879	DIN 11850 DN20 OD 23.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN20	23	Tee
ZAFCK06880	DIN 11850 DN25 OD 29.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN25	29	Tee
ZAFCK06881	DIN 11850 DN32 OD 35.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN32	35	Tee
ZAFCK06882	DIN 11850 DN50 OD 53.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN50	53	Tee
ZAFCK06883	DIN 11850 DN65 OD 70.00mm T-FIT Clean Insulating Tee 6.35mm THK	DN65	70	Tee

